TYPO3 CMS 7 LTS - What's New

Deprecated/Removed Functions

Created by: Patrick Lobacher and Michael Schams



Introduction

TYP03 CMS 7 LTS - What's New

The following slides focus on a specific topic. Depending on your role, the following topics might also be important for you:

	BE User Interface	^{Typoscript}	In Depth Changes	Extbase/Fluid	Deprecated/Removed	Sys, Administration
Editors	Х					
Integrators		Х	X		X	
Developers			X	Χ	X	
SysAdmins						Х

Download all versions of the What's New Slides from typo3.org



Deprecated/Removed Functions

A great many components of TYPO3 CMS have been reviewed and in accordance with TYPO3's deprecation policy either classified as deprecated or removed.

This ensures TYP03 CMS 7 LTS does not rely on outdated and obsolete features and code routines, but benefits from modern and fast technologies which are state-of-the-art today.

Some rarely used content elements and functions have been moved to the system extension EXT:compatibility6, which can be activated if required.



Compatibility Layer

- TYPO3 CMS 6.2: a compatibility layer makes sure, old extensions work in the new codebase
 - Drawback: decreased performance (not the full potential of the system)
- TYP03 CMS 7.0: compatibility layer has been removed from the core Impact: old extensions possibly break (e.g. extensions without namespaces)
- Compatibility can be re-inforced by installing system extension EXT: compatibility6 if required
- This extension will be moved to TER at one point in the future




Backend User Management

Switch to backend user ("change-to mode") has been removed

TYP03 CMS 6.2



TYP03 CMS 7.0





Removed Deprecated JavaScript Functions

In accordance with the deprecation strategy, a number of JavaScript methods, classified as deprecated since TYPO3 CMS 4.7, have been removed, for example:

```
\TYPO3\CMS\Backend\Form\FormEngine->getSingleField_typeInput
\TYPO3\CMS\Backend\Form\FormEngine->getSingleField_typeText
\TYPO3\CMS\Core\Utility\GeneralUtility->quoted_printable
\TYPO3\CMS\Core\Utility\GeneralUtility->encodeHeader
```

HTMLArea.Editor.forceRedraw (use HTMLArea.Framework.doLayout instead)

HTMLArea.Editor.convertNode (use HTMLArea.DOM.convertNode instead)

HTMLArea.Editor.getBlockAncestors (use HTMLArea.DOM.getBlockAncestors instead)



Removed Functions (1)

- TypoScript setting config.uniqueLinkVars has been removed (this behaviour is the default now)
- ViewHelper \TYPO3\CMS\Documentation\ViewHelpers\Link\Action has been removed (use f:be.buttons.icon or f:uri.*instead)
- PageTSconfig option mod.web_list.alternateBgColors has been removed
- PropertyMapper has been removed
 (including option rewrittenPropertyMapper = 0)
- TypoScript conditions have been removed:
 - browser
 - version
 - system
 - useragent



Removed Methods (1)

The following **methods** have been removed:

- connectDB
 of class \TYPO3\CMS\Frontend\Utility\EidUtility
- isDisplayCondition of class \TYPO3\CMS\Form\FormEngine
- int_from_ver
 of class \TYPO3\CMS\Core\Utility\GeneralUtility
- getUniqueFields
 of class \TYPO3\CMS\Core\DataHandling\DataHandler



Removed Methods (2)

The following **methods** have been removed:

- isSafeModeEnabled of class \TYPO3\CMS\Core\Utility\PhpOptionsUtility
- registerSwiftMailer
 of class \TYPO3\CMS\Core\Bootstrap
- loadTCA
 of class \TYPO3\CMS\Core\Utility\GeneralUtility
- isLocalconfWritable of class \TYPO3\CMS\Core\Utility\ExtensionManagementUtility



Removed Classes

The following **classes** have been removed:

- \TYPO3\CMS\Backend\Template\MediumDocumentTemplate
- \TYPO3\CMS\Extbase\Service\TypeHandlingService



\$TYPO3_CONF_VARS[SYS][compat_version]

- Option \$TYPO3_CONF_VARS[SYS] [compat_version] (which was modified on update in the Install Tool wizard) has been removed
- All checks on GeneralUtility::compat_version are now made against constant TYPO3_branch

Note: TypoScript conditions, which check for older compat_version have a different behaviour now!



Inline styles of <blockquote> tag

- CSS Styled Content renders <blockquote> tags using lib.parseFunc_RTE TypoScript
- These lines have been removed without substitution:

As a result, inline styles "margin-bottom:0; margin-top:0;" are removed

Note: styling of <blockquote> tags possibly differ after an upgrade to TYPO3 CMS 7.1.



Workspaces: field disable_autocreate

- Deprecated field disable_autocreate has been removed from EXT:workspaces
- If a TYPO3 extension relies on this field, a SQL error occurs



Functionality include_once

- Functionality to include PHP files within module functions (e.g. Info module) via an include_once array has been removed
- This applies to the following modules:
 - Web => Page
 - Web => Page New Content Element Wizard
 - Web => Functions
 - Web => Info
 - Web => Template
 - Web => Recycler
 - User => Task Center
 - System => Scheduler



Setting config.meaningfulTempFilePrefix

- In TYPO3 CMS < 7.1, file names of images generated by the GIFBUILDER could be influenced by TypoScript option: config.meaningfulTempFilePrefix (GIFBUILDER used a hash value as the file name only)
- This option has been removed (names of files in directory typo3temp/GB/ show the original file name as the first element automatically)



Removed files

- The following **files** have been removed:
 - typo3/file_edit.php
 - typo3/file_newfolder.php
 - typo3/file_rename.php
 - typo3/file_upload.php
 - typo3/show_rechis.php
 - typo3/listframe_loader.php
- Their functionalities have been migrated to backend modules, e.g.

```
typo3/file_edit.php in
BackendUtility::getModuleUrl('file_edit');
```



ExtJS DateTimePicker

- ExtJS component Ext.ux.DateTimePicker has been removed and replaced with a Twitter Bootstrap alternative (see chapter "Backend User Interface")
- Affected TYPO3 CMS system extensions are EXT:belog or EXT:scheduler for example

Note: extensions which rely on the deprecated function Ext.ux.DateTimePicker will likely break!



Access List Render Mode

- The following variable has been removed: \$GLOBALS[TYPO3_CONF_VARS][BE][accessListRenderMode]
- Corresponding fields in TCA tables be_users and be_groups are set to the default value "checkbox"
- This can be changed in file typo3conf/extTables.php:

```
$GLOBALS['TCA']['be_users']['columns']['file_permissions']['config']['renderMode'] = 'singlebox';
$GLOBALS['TCA']['be_users']['columns']['userMods']['config']['renderMode'] = 'singlebox';
$GLOBALS['TCA']['be_groups']['columns']['file_permissions']['config']['renderMode'] = 'singlebox';
$GLOBALS['TCA']['be_groups']['columns']['pagetypes_select']['config']['renderMode'] = 'singlebox';
$GLOBALS['TCA']['be_groups']['columns']['tables_select']['config']['renderMode'] = 'singlebox';
$GLOBALS['TCA']['be_groups']['columns']['non_exclude_fields']['config']['renderMode'] = 'singlebox';
$GLOBALS['TCA']['be_groups']['columns']['userMods']['config']['renderMode'] = 'singlebox';
```



Content element "Mailform"

- Mailform functionality, which provided the cObject FORM, has been removed from the core
- Still available in legacy extension EXT: compatibility6 if required
- The following options have been marked as deprecated:

```
$TYPO3_CONF_VARS] [FE] [secureFormmail]
$TYPO3_CONF_VARS] [FE] [strictFormmail]
$TYPO3_CONF_VARS] [FE] [formmailMaxAttachmentSize]
```

The following methods within TypoScriptFrontendController have been removed:

```
protected checkDataSubmission()
protected sendFormmail()
public extractRecipientCopy()
public codeString()
protected roundTripCryptString()
```



Functionality changed (1)

- EXT:indexed_search is activated as soon as the extension is installed. As a result, appropriate TypoScript options config.index_enable = 1and config.index_externals = 1become active automatically, too
- TSconfig web_func.menu.wiz changed to web_func.menu.functions
- Extensions, which integrate into the upper right toolbar, must implement the new interface:

```
\label{thm:cms} TYPO3\CMS\Backend\Toolbar\Toolbar\ItemInterface and must be registered in:
```

```
$GLOBALS['TYPO3_CONF_VARS']['BE']['toolbarItems']
```



Functionality changed (2)

- File typo3/js/tree.js has been replaced by

 EXT:backend/Resources/Public/JavaScript/LegacyTree.js

 (latter is based on jQuery)
- Variable \$GLOBALS['WEBMOUNTS'] has been replaced by \$GLOBALS['BE USER']->returnWebmounts()
- Support of .t3-table and .t3-button has been removed (Twitter Bootstrap classes implement the visual appearance now)
- Country flags (PNG images) have been moved from typo3/gfx/flags/and typo3/sysext/t3skin/images/flags/ t0: typo3/sysext/core/Resources/Public/Icons/flags/



Functionality changed (3)

- CSS Styled Content TypoScript templates for TYPO3 CMS 4.5 to 6.1 have been removed
- The following TypoScript cObjects have been moved to legacy extension EXT:compatibility6:

SEARCHRESULTS COLUMNS OTABLE CLEARGIF
IMGTEXT CTABLE HRULER

- Content element search has been moved to legacy extension EXT:compatibility6
- The following TCA wizard options have been removed:

_PADDING _VALIGN _DISTANCE



TypoScript option andWhere

- TypoScript option andWhere has been marked as deprecated
- Integrators should use properties where and markers instead:

```
page.30 = CONTENT
page.30 {
  table = tt_content
  select {
    pidInList = this
    orderBy = sorting
    where {
       dataWrap = sorting>{field:sorting}
    }
  }
}
```

```
page.60 = CONTENT
page.60 {
  table = tt_content
  select {
    pidInList = 73
    where = header != ###whatever###
    orderBy = ###sortfield###
    markers {
      whatever.data = GP:first
      sortfield.value = sor
      sortfield.wrap = |ting
    }
}
```



Deprecated entry points

- The following entry points have been classified as deprecated:
 - typo3/tce_file.php
 - typo3/move_el.php
 - typo3/tce_db.php
 - typo3/login_frameset.php
 - typo3/sysext/cms/layout/db_new_content_el.php
 - typo3/sysext/cms/layout/db_layout.php
- Instead, use the following:

```
\TYPO3\CMS\Backend\Utility\BackendUtility::getModuleUrl('<parameter>')
```

Where <parameter> could be:

```
tce_file, move_element, tce_db, login_frameset,
new_content_element, web_layout
```



Miscellaneous (1)

- TypoScript option config.xhtmlDoctype = xhtml_2 has been marked for removal in TYPO3 CMS 8
- The following methods have been marked as deprecated:

```
TYPO3\CMS\Backend\Utility\BackendUtility::implodeTSParams()
TYPO3\CMS\Backend\Controller::makeLoginBoxImage()
```

■ The following method has been marked as deprecated:

```
LocalImageProcessor::getTemporaryImageWithText()
```

...and is replaced by:

 ${\tt TYPO3\CMS\Core\Imaging\GraphicalFunctions::getTemporaryImageWithText()}$

StdWrap properties textStyle and tableStyle haven been marked as deprecated



Miscellaneous (2)

- TypoScript option page.includeJSlibs has been renamed to page.includeJSLibs (uppercase "L") and old option marked as deprecated
- TypoScript condition device has been marked as deprecated
- Method DocumentTable::table() has been marked as deprecated (developers should use Fluid for this)
- The following method has been marked as deprecated:

```
\label{thm:controller} TypoScriptFrontendController::doXHTML\_cleaning()
```

...as well as the TypoScript option config.xhtml_cleaning

The following hook has been marked as deprecated:

```
$GLOBALS['TYPO3_CONF_VARS']['SC_OPTIONS']['GLOBAL']['softRefParser_GL']
```



Miscellaneous (3)

■ The following methods have been marked as deprecated:

```
TypoScriptTemplateObjectBrowserModuleFunctionController::
    verify_TSobjects()
ExtendedTemplateService::ext_getKeyImage()
ConfigurationForm::ext_getKeyImage()
```

Executing contentObject->COBJECT() has been marked as deprecated

```
(use $cObj->cObjGetSingle('...', $conf); instead)
```

Direct access to FormEngine::\$renderReadonly has been marked as deprecated

```
(use AbstractFormElement::setRenderReadonly(TRUE); instead)
```



Miscellaneous (4)

The following FormEngine methods are marked as deprecated:

```
FormEngine::insertDefStyle
FormEngine::getAvailableLanguages()
FormEngine::sL()
FormEngine::renderVDEFDiff()
FormEngine::getLL()
FormEngine::getTSCpid()
FormEngine::getSingleField_typeFlex_langMenu()
FormEngine::getSingleField_typeFlex_sheetMenu()
FormEngine::getSpecConfFromString()
```



FormEngine Refactoring (1)

- A major refactoring of FormEngine classes and its sub classes happend, which impacts properties and methods
- In TYPO3 CMS 7.2 many internal properties, such as FormEngine->\$defaultInputWidth Or FormEngine->\$RTEenabled are ignored
- properties FormEngine->\$allowOverrideMatrix and SuggestElement->class are protected now
- If format of type=none is set to user in TCA, the configured userFunc no longer gets an instance of FormEngine as parent object, but an instance of NoneElement



FormEngine Refactoring (2)

- The following methods (and more) have been classified as deprecated:
 - FormEngine->renderWizards()
 - FormEngine->dbFileIcons()
 - FormEngine->getClipboardElements()
 - FormEngine->getSingleField_typeNone_render()
 - FormEngine->formMaxWidth()
 - FormEngine->addItems()
 - SuggestElement->init()
 - **...**

<u>Tip:</u> review the deprecation_*.log to find out, where these methods have been ported to, in case your extension(s) use the FormEngine.



FormEngine Refactoring (3)

■ The following methods have been **renamed**:

OLD: \TYPO3\CMS\Backend\Form\Element\SuggestElement NEW: \TYPO3\CMS\Backend\Form\Wizard\SuggestWizard

OLD: \TYPO3\CMS\Backend\Form\Element\SuggestDefaultReceiver

 $\label{lem:new} NEW: $$\TYPO3\CMS\Backend\Form\Wizard\SuggestWizardDefaultReceiver $$$

OLD: \TYPO3\CMS\Backend\Form\Element\VaueSlider

NEW: \TYPO3\CMS\Backend\Form\Wizard\ValueSliderWizard



Backend Entry Points

■ The following Backend Entry Points are changed:

```
typo3/logout.php
typo3/alt_file_navframe.php
typo3/dummy.php
typo3/browser.php
typo3/db_new.php
typo3/show_item.php
(logout)
(file_navframe)
(dummy)
(dummy)
(browser)
(browser)
(db_new)
(show_item)
```

URLs can be determined by using the following approach:

```
\TYPO3\CMS\Backend\Utility\BackendUtility::getModuleUrl(...) For example:
```

```
\TYPO3\CMS\Backend\Utility\BackendUtility::getModuleUrl('logout')
```



Backend Login Refactoring

- Due to a refactoring of the backend login, Fluid is used as the template engine and the signal LoginController::SIGNAL_RenderLoginForm has been removed
- Additionally the following methods of the LoginController have been removed:
 - LoginController::makeLoginBoxImage
 - LoginController::wrapLoginForm
 - LoginController::makeLoginNews
 - LoginController::makeLoginForm
 - LoginController::makeLogoutForm



Miscellaneous (1)

- In TYPO3 CMS < 7.2 URIs to a module which was dispatched through mod.php was stored as an array in a global variable \$GLOBALS['MCONF']['_'].
 - This has been **removed** without substitution and extensions need to use BackendUtility::getModuleUrl() instead.
- The option to retrieve the local path of a FAL file via TypoScript has been removed: a.value.data = file:current:localPath
- The following tt_content TCA fields have been moved to EXT:compatibility6:
 - altText
 - imagecaption
 - imagecaption_position

- image_link
- longdescURL
- titleText



Miscellaneous (2)

- The third-party library websvg has been **removed** from the TYP03 CMS core. The according TypoScript options (page.javascriptLibs.SVG.*) and public methods within PageRenderer have been **removed** without substitution, too. For example: \$pageRenderer->loadSvg()
- The following keys under mod.web_info.menu.function have been renamed (this has an impact on PageTSconfig):

```
tx_cms_webinfo_page -> TYP03\CMS\Frontend\Controller\PageInformationController
tx_cms_webinfo_lang -> TYP03\CMS\Frontend\Controller\TranslationStatusController
tx_belog_webinfo -> TYP03\CMS\Belog\Module\BackendLogModuleBootstrap
tx_infopagetsconfig_webinfo -> TYP03\CMS\InfoPagetsconfig\Controller\
InfoPageTyposcriptConfigController
tx linkvalidator ModPuncReport -> TYP03\CMS\Linkvalidator\Report\LinkValidator\Report
```



Miscellaneous (3)

- Parameter \$returnHTML of method
 \TYPO3\CMS\Core\Utility\DebugUtility::debugRows() is not used
 anymore and has been marked deprecated
- TypoScript option config.prefixLocalAnchors has been marked as deprecated, as well as the appropriate methods in TypoScriptFrontendContoller: prefixLocalAnchorsWithScript() and doLocalAnchorFix()
- Public method \$TSFE->checkFileInclude() in the global FrontendController is deprecated now. Use the autoloader or \$TSFE->tmpl->getFileName() instead.



Miscellaneous (4)

- The two cObjects COBJ_ARRAY (alias for COA) and CASEFUNC (alias for CASE) have been moved to extension EXT:compatibility6 (and marked as **deprecated**) and are not available by default anymore
- The DataHandler property stripslashes_values has been marked as deprecated
- The "ThumbnailView" as well as thumbs.php and
 BackendUtility::getThumbNail() are deprecated now and will
 be removed in TYPO3 CMS Version 8
 (see BackendUtility::thumbCode() for migration inspirations)



Miscellaneous (5)

Namespace mod.tx_linkvalidator of the LinkValidator Scheduler Task changed to mod.linkvalidator in order to make the setting consistent with TSconfig



FormEngine Refactoring

TCA:

- Options _PADDING, _VALIGN and DISTANCE have been removed from TCA['aTable']['columns']['aField']['config']['wizards']
- Key TCA['aTable']['ctrl']['mainPalette'] has been removed

TSconfig:

Keys mod.web_layout.tt_content.fieldOrder and TCEFORM.aTable.aField.linkTitleToSelf have been removed

Hooks:

- Hooks use key type instead of form_type now
- Hook getSingleFieldClass has been removed



Removal of IdentityMap from Extbase Persistence

- Class IdentityMap has been removed from Extbase persistence (a ReflectionException is thrown if it is still used)
- Accessing the previously existing IdentityMap properties within DataMapper and Repository will fail now and the creation of IdentityMap instances is not possible anymore
- Use "Sessions" persistence instead:

```
$session = GeneralUtility::makeInstance(ObjectManager::class)->get(
   \TYPO3\CMS\Extbase\Persistence\Generic\Session::class
);

$session->registerObject($object, $identifier);

if($session->hasIdentifier($identifier)) {
   $object = $session->getObjectByIdentifier($identifier, $className);
}
```



Miscellaneous (1)

- File typo3conf/extTables.php is deprecated.

 Use the following file instead:

 <your_extension>/Configuration/TCA/Overrides/pages.php
- Configuration \$TYPO3_CONF_VARS[GFX][png_to_gif] has been removed
- In TYPO3 CMS installations, which do <u>not</u> have extension rsaauth installed, BE login passwords are transferred in plain text now (solution: install extension rsaauth or use HTTPS for the BE)
- Method exec_SELECTgetRows() validates parameter \$uidIndexField now. If the specified field is not present in the database result, an InvalidArgumentException is thrown.



Miscellaneous (2)

- DBAL option config.classFile has been removed
- Options iconOnly and styleAttributes of CshViewHelper are marked as deprecated now
- TypoScript option page.bgImg is deprecated now
- Method isEnabled() of class T3editor is deprecated now
- Old TYPO3 ClassLoader has been removed in favor of Composer ClassLoader



System Extension cms Removed (1)

- System extension cms has been removed
- Extension developers should review dependency settings in file ext_emconf.php

 Most of the functionality has been migrated to system extension frontend (this might require an update of language references, see next slide)



System Extension cms Removed (2)

Required updates of references to language files:

```
OLD: tvpo3/svsext/cms/web info/locallang.xlf
NEW: typo3/sysext/frontend/Resources/Private/Language/locallang webinfo.xlf
OLD: tvpo3/svsext/cms/locallang ttc.xlf
NEW: typo3/sysext/frontend/Resources/Private/Language/locallang_ttc.xlf
OLD: typo3/sysext/cms/locallang_tca.xlf
NEW: typo3/sysext/frontend/Resources/Private/Language/locallang tca.xlf
OLD: typo3/sysext/cms/layout/locallang_db_new_content_el.xlf
NEW: typo3/sysext/backend/Resources/Private/Language/locallang db new content el.xlf
OLD: typo3/sysext/cms/layout/locallang.xlf
NEW: tvpo3/sysext/backend/Resources/Private/Language/locallang layout.xlf
OLD: tvpo3/svsext/cms/lavout/locallang mod.xlf
NEW: tvpo3/sysext/backend/Resources/Private/Language/locallang mod.xlf
OLD: tvpo3/svsext/cms/locallang csh webinfo.xlf
NEW: typo3/sysext/frontend/Resources/Private/Language/locallang_csh_webinfo.xlf
OLD: typo3/sysext/cms/locallang_csh_weblayout.xlf
NEW: typo3/sysext/frontend/Resources/Private/Language/locallang csh weblayout.xlf
```



PageRenderer Methods Deprecated

The following PageRenderer methods have been classified as deprecated:

```
TYPO3\CMS\Backend\Controller\BackendController::getPageRenderer()
TYPO3\CMS\Backend\Template\DocumentTemplate::getPageRenderer()
TYPO3\CMS\Backend\Template\FrontendDocumentTemplate::getPageRenderer()
TYPO3\CMS\Frontend\Controller\TypoScriptFrontendController::getPageRenderer()
```

The following code should be used to get an instance of the PageRenderer instead:

```
\TYPO3\CMS\Core\Utility\GeneralUtility::makeInstance(\TYPO3\CMS\Core\Page\PageRenderer::class)
```



Deprecated GeneralUtility Methods

The following GeneralUtility methods have been classified as deprecated and will be removed in TYPO3 CMS version 8:

```
GeneralUtility::modifyHTMLColor()
GeneralUtility::modifyHTMLColorAll()
GeneralUtility::isBrokenEmailEnvironment()
GeneralUtility::normalizeMailAddress()
GeneralUtility::formatForTextarea()
GeneralUtility::getThisUrl()
GeneralUtility::cleanOutputBuffers()
GeneralUtility::readLLfile()
```

Method readLLfile() can be replaced by the following code:

```
/** @var $languageFactory \TYPO3\CMS\Core\Localization\LocalizationFactory */
$languageFactory = GeneralUtility::makeInstance(
  \TYPO3\CMS\Core\Localization\LocalizationFactory::class
);
$languageFactory->getParsedData($fileToParse, $language, $renderCharset, $errorMode);
```



JavaScript Libraries Removed

- JavaScript libraries prototype.js and scriptaculous have been removed. As a consequence, the following TypoScript properties do not have any functionality anymore:
 - page.javascriptLibs.Prototype
 - page.javascriptLibs.Scriptaculous.*
- Using the following attributes in ViewHelper be.container results in an error:
 - <f:be.container loadPrototype="false" loadScriptaculous="false"
 scriptaculousModule="someModule,someOtherModule">
- As a replacement, jQuery and RequireJS should be used (which are already loaded in the backend by default)



Deprecated: init.php, mod.php and ajax.php

- In order to clean up the content of folder typo3, the following files have been marked as deprecated: init.php, mod.php and ajax.php
- The following code can be used for Init Entry Points:

```
call_user_func(function() {
    $classLoader = require __DIR__ . '/vendor/autoload.php';
    (new \TYPO3\CMS\Backend\Http\Application($classLoader))->run();
});
```

The following method call can be used to access mod.php:

```
BackendUtility::getModuleUrl()
```



TCA: Additional Palette Removed

- String showitem of TCA key types allowed developers to define an additional palette
- This has been removed and migrated to the normal palette now
- Before:

```
'types' => array(
  'aType' => array(
  'showitem' => 'aField;aLabel;anAdditionalPaletteName',
  ),
),
```

■ Now:

```
'types' => array(
   'aType' => array(
        'showitem' => 'aField;aLabel, --palette--;;anAdditionalPaletteName',
        ),
        ),
},
```



Miscellaneous (1)

- cObjects "Text" and "Text with Images" had a checkbox "RTE enabled" in the past. This has been removed, including the appropriate TCA option flag.
- The following TypoScript options to include PHP files have been removed:
 - config.includeLibrary
 - config.includeLibs
- Directory typo3/ext has been removed (but not the option to use global extensions: the directory can be created manually)



Miscellaneous (2)

- ExtCore (a standalone, slim ExtJS adapter) has been removed, including the following TypoScript options:
 - page.javascriptLibs.ExtCore.*
 - page.javascriptLibs.ExtJs.*

This also includes the option in the <f:be.container> ViewHelper

■ So called "BigButtons" ("Edit Page Properties", "Move Page",...) have been removed, including their TSconfig settings mod.we_layout.disableBigButtons



Miscellaneous (3)

- Error- and exception handling can not longer be configured in extensions (e.g. overwritten in ext_localconf.php), but in files LocalConfiguration.php or AdditionalConfiguration.php only
- Field "General Record Storage Page", which contained the storage PID for a page, has been removed. The storage PID must be configured using TypoScript or FlexForms now.
- Function IconUtility::getIcon() has been classified as
 deprecated (use method
 IconUtility::getSpriteIconForRecord() instead)



Slash-related Methods in GeneralUtility

- The following methods of class GeneralUtility have been marked as **deprecated**:
 - GeneralUtility::addSlashesOnArray()
 - GeneralUtility::stripSlashesOnArray()
 - GeneralUtility::slashArray()



CLI-related Constants and Methods

Logic regarding regular CLI-based scripts with the CLIkey option has been moved to the CliRequestHandler and therefore, the following method marked as deprecated:

```
BackendUserAuthentication->checkCLIuser()
```

Additionally, the following constants and global parameters have been marked deprecated:

```
const TYPO3_cliKey
const TYPO3_cliInclude
$GLOBALS['MCONF']['name']
$GLOBALS['temp_cliScriptPath']
$GLOBALS['temp_cliKey']
```



IconUtility

- Interface IconUtilityOverrideResourceIconHookInterface as well as class IconUtility will be removed in TYPO3 CMS 8
- All public methods of this class have been marked as deprecated:

```
IconUtility::skinImg()
IconUtility::getSpriteIcon()
IconUtility::getSpriteIconForRecord()
IconUtility::getSpriteIconClasses()
```

```
IconUtility::getIcon()
IconUtility::getSpriteIconForFile()
IconUtility::getSpriteIconForResource()
```

(some methods have been moved to IconFactory)

In addition, the following PageTSConfig setting has been marked as deprecated:

```
mod.wizards.newContentElement.wizardItems.*.elements.*.icon
```



Deprecated HtmlParser Methods

Marker substitution functionality has been moved from core/Classes/Html/HtmlParser.php to its own class core/Classes/Service/MarkerBasedTemplateService.php

■ The following methods within HtmlParser will be removed in TYPO3 CMS 8 and have been marked as **deprecated** now:

```
HtmlParser::getSubpart()
HtmlParser::substituteSubpart()
HtmlParser::substituteSubpartArray()
HtmlParser::substituteMarker()
HtmlParser::substituteMarkerArray()
HtmlParser::substituteMarkerAndSubpartArrayRecursive()
```



System extension form

- System extension form is based on Extbase/Fluid now
- Therefore all TypoScript-based layout settings have been marked as deprecated and using layout is <u>not</u> recommended anymore:

```
10 = FORM
10 {
   layout {
     containerWrap = <div><elements ></elements></div>
   elementWrap = <div><element ></element></div>
  }
}
```



Deprecated ViewHelpers and Methods

The following ViewHelpers have been marked as deprecated:

```
\TYPO3\CMS\Fluid\ViewHelpers\Be\Buttons\IconViewHelper \TYPO3\CMS\Backend\ViewHelpers\SpriteManagerIconViewHelper
```

■ The following methods have been marked as **deprecated**:

```
BackendUtility::getExcludeFields()
BackendUtility::getExplicitAuthFieldValues()
BackendUtility::getSystemLanguages()
BackendUtility::getRegisteredFlexForms()
BackendUtility::exec_foreign_table_where_query()
BackendUtility::replaceMarkersInWhereClause()
```



AJAX Routes

- AJAX handlers registered in the core by

 ExtensionManagementUtility::registerAjaxHandler() have
 been replaced by AJAX routes, which are registered under

 Configuration/Backend/AjaxRoutes.php
- Complete list (old/new) is available at: Breaking-69916-RegisteredAJAXHandlersReplacedByRoutes.rst



Miscellaneous

- Extension mediace has been moved to the TYPO3 Extension Repository
- TCA configuration dynamicConfigFile within the ctrl section of a table has been **deprecated**. The table configuration is located as Configuration/TCA/<table_name>.php now.
- The jumpurl function has been removed from the core and is available as an extension in TYPO3 Extension Repository



Sources and Authors

Sources and Authors



Sources and Authors

Sources

TYP03 News:

■ http://typo3.org/news

Release Infos:

- https://wiki.typo3.org/Category:ReleaseNotes/TYPO3_7.x
- INSTALL.md and ChangeLog
- typo3/sysext/core/Documentation/Changelog/*

TYP03 Bug-/Issuetracker:

■ https://forge.typo3.org/projects/typo3cms-core

TYP03 Git Repositories:

- https://git.typo3.org/Packages/TYPO3.CMS.git
- https://git.typo3.org/Packages/TYPO3.Fluid.git



Sources and Authors

TYP03 CMS What's New Slides:

Patrick Lobacher (Research, Information Gathering and German Version) Michael Schams (Project Leader and English Version)

Translations and Contributions by:

Andrey Aksenov, Paul Blondiaux, Pierrick Caillon, Sergio Catalá, Ben van't Ende, Jigal van Hemert, Sinisa Mitrovic, Michel Mix, Angeliki Plati, Nena Jelena Radovic and Roberto Torresani

http://typo3.org/download/release-notes/whats-new

Licensed under Creative Commons BY-NC-SA 3.0



